

**Certifications**

Approved by ENEDIS

**Section**

MV Outer sheath

**Application**Field  
Laboratory**PRODUCT BENEFITS**

Circular abrasion to ensure a good sealing of the accessory  
Deep abrasion on 50 mm (1.968 in) in one turn

**TOOL CAPACITY**

**Diameter** 20 - 52 mm  
0,787 - 2,047 inch

**TOOL DIMENSIONS**

<b>Length</b>	277 mm
<b>Width</b>	87 mm
<b>Height</b>	71 mm
<b>Weight without box</b>	0,91 Kg
<b>Packaging</b>	Box

**ALROC SAS**

Z.I. de la Fonderie - 72160 TUFFE  
FRANCE

Phone: +33 2 43 71 11 80

Fax number : +33 2 43 71 16 51

www.alroc.fr

## Tool for sheath abrading

**TO DO WHAT**

The RTT2 enables the user to abrade the outer sheath of the cable in order to ensure a good sealing of the cable joint or termination on the cable

**Options**

SGM - Large size pouch

C-RTT - Tool to replace blade for abrasion

**Spare part**

LRTT - Spare blade sheath abrading (order by 5)

**Associated tool**

ALROC-FENTE - Tool to perform slits on cable's outer sheath

EV/NPT - Tool to spread PE outer sheath with aluminium screen

ALROCRAN - Tightening pliers

MV cables Tools

# RTT2



Part Number	Diameter	Tool capacity	Dimensions			Packaging
			Length	Width	Height	
RTT2	20 - 52 mm 0,787 - 2,047 in		277 mm 10,906 in	87 mm 3,425 in	71 mm 2,795 in	box