

Certifications

Approved by ENEDIS

Section

LV

ApplicationField
Production**PRODUCT BENEFITS**

Non cutting wheel to creep the lead

TOOL CAPACITY

Diameter	26 - 52 mm 1,024 - 2,047 inch
-----------------	----------------------------------

Circular scoring depth	2,3 mm / 0,091 in
-------------------------------	-------------------

Longitudinal scoring depth	3,5 mm / 0,138 in
-----------------------------------	-------------------

Ø (mm/inch)	26-52 mm / 1,02-2,05 in
--------------------	-------------------------

TOOL DIMENSIONS

Length	270 mm
---------------	--------

Width	95 mm
--------------	-------

Height	80 mm
---------------	-------

Weight without box	0,61 Kg
---------------------------	---------

Packaging	Box
------------------	-----

Pliers for lead sheath of Medium Voltage primary distribution cable

TO DO WHAT

The pliers AGPB3 enables the user to make circular and longitudinal cutting of the underground cable's lead sheath in order to remove it

**Options**

SGM - Large size pouch

Spare part

MTL-AGPB3 - Spare blade for longitudinal cutting

MTC-AGPB3 - Spare blade for circular cutting (x4)

Associated tool

EVP - HV and EHV cable's lead sheath splitters

PINTEL4PI/465 - Pliers to remove paper impregnated insulation

ALROC SASZ.I. de la Fonderie - 72160 TUFFE
FRANCE

Phone: +33 2 43 71 11 80

Fax number : +33 2 43 71 16 51

www.alroc.fr

LV cables Tools
AGPB3



Part Number	Diameter	Tool capacity			Dimensions			Packaging
		Circular scoring depth	Longitudinal scoring depth	Ø (mm/inch)	Length	Width	Height	
AGPB3	26 - 52 mm 1,024 - 2,047 in	2,3 mm / 0,091 in	3,5 mm / 0,138 in	26-52 mm / 1,02-2,05 in	270 mm 10,630 in	95 mm 3,740 in	80 mm 3,150 in	box