

## Section

LV

## Application

Field  
Laboratory  
Production



## PRODUCT BENEFITS

Quick, light and easy to use

## TOOL CAPACITY

**Diameter** 8 - 21 mm  
0,315 - 0,827 inch

**Circular cutting thickness capacity** 2 mm / 0,079 in

**Longitudinal cutting thickness capacity** 2 mm / 0,079 in

## TOOL DIMENSIONS

**Length** 225 mm

**Width** 70 mm

**Height** 60 mm

**Weight without box** 0,43 Kg

**Packaging** Box

## Pliers for LV cable outer sheath

## TO DO WHAT


The PG2BT/2020 enables the user to make a circular and longitudinal cut in order to remove cable's outer sheath

All cutting depth ranging from 0,5 mm / 0,019 in to 5 mm / 0,196 in are available on demand

How to built your customized pliers : PG2BT/yyzz

yy = Circular cutting depth e.g : 20 = 2,0 mm / 0,079 in

zz = Longitudinal cutting depth e.g : 20 = 2,0 mm / 0,079 in



## Options

SGM - Large size pouch

## Spare part

MTC1/20 - Spare blade for circular cutting 2,0 mm / 0,079 in (x3)

MTL1/20 - Spare blade for longitudinal cutting 2,0mm / 0,079 in

## Associated tool

MF1+/25 - Multifunction tool for bonded semiconductor

MF2/40 - Multifonction tool for outer sheath and insulation

## ALROC SAS

Z.I. de la Fonderie - 72160 TUFFE  
FRANCE

Phone: +33 2 43 71 11 80

Fax number : +33 2 43 71 16 51

www.alroc.fr

LV cables Tools

# PG1BT/2020



Part Number	Diameter	Tool capacity		Dimensions			Packaging
		Circular cutting thickness capacity	Longitudinal cutting thickness capacity	Length	Width	Height	
PG1BT/2020	8 - 21 mm 0,315 - 0,827 in	2 mm / 0,079 in	2 mm / 0,079 in	225 mm 8,858 in	70 mm 2,756 in	60 mm 2,362 in	box