

## Section \_\_\_\_\_

LV

## Application \_\_\_\_\_

Field

Production

**PRODUCT BENEFITS**

Very high versatility  
Adaptation on screwing machine

**TOOL CAPACITY**

<b>Diameter</b>	6 - 21 mm 0,236 - 0,827 inch
<b>Depth of cut</b>	2.3 to 3.5 mm / 0,090 to 0,137 in
<b>Stripping length</b>	25 to 100 mm / 0,984 to 3,937 in

**TOOL DIMENSIONS**

<b>Length</b>	224 mm
<b>Width</b>	65 mm
<b>Height</b>	82 mm
<b>Weight without box</b>	0,8 Kg
<b>Packaging</b>	Box

**ALROC SAS**

Z.I. de la Fonderie - 72160 TUFFE  
FRANCE

Phone: +33 2 43 71 11 80

Fax number : +33 2 43 71 16 51

www.alroc.fr

## Tool for LV cables insulation Ø6-21 mm with K7 depth 2.5 mm

**TO DO WHAT**

The J1R2 tool allows to remove the outer insulation of a large number of LV aerial or industrial cables.

The tool fits the diameter of the cable and the thickness of the layer to be removed without changing the socket.

**Options**

R1 - K7 for LV tool 1 mm for a cut from 0.8 mm to 2.5 mm

**Spare part**

LJR - Spare blade

LV cables Tools

# J1R2



Part Number	Diameter	Tool capacity		Dimensions			Packaging
		Depth of cut	Stripping length	Length	Width	Height	
J1R1	6 - 21 mm 0,236 - 0,827 in	0.8 to 2.5mm / 0,031 to 0,098 in	25 to 100mm / 0,984 to 3,937 in	224 mm 8,819 in	65 mm 2,559 in	82 mm 3,228 in	box
J1R12	6 - 21 mm 0,236 - 0,827 in	0.8 to 2.5 mm / 0,031 to 0,098 in and 2.3 to 3.5 mm / 0,090 to 0,137 in	25 to 100 mm / 0,984 to 3,937 in	224 mm 8,819 in	65 mm 2,559 in	82 mm 3,228 in	box
J1R2	6 - 21 mm 0,236 - 0,827 in	2.3 to 3.5 mm / 0,090 to 0,137 in	25 to 100 mm / 0,984 to 3,937 in	224 mm 8,819 in	65 mm 2,559 in	82 mm 3,228 in	box